



Science News

... from universities, journals, and other research organizations



Discoveries Thrust Cancer-Initiating Stem Cells Into A Larger Role In Cancer Biology And Treatment

Apr. 19, 2007 — Recent discoveries about the role of stem cells in cancer have altered the landscape of cancer research. With each new study, scientists are learning more about cancer-initiating properties of stem cells at organ sites and throughout the body. Increasingly, stem cells are examined as the cause -- and potential target of treatment -- for many, if not all, cancers. At the 2007 Annual Meeting of the American Association for Cancer Research, researchers present new discoveries about stem cells in leukemia, breast and colon cancer that add to the growing evidence that perhaps cancer is, fundamentally, a stem cell problem.

PTEN and HER2 regulate self-renewal and invasion of human mammary stem cells: Abstract 1287

Two genes associated with aggressive breast cancer are linked to a key property of mammary stem cell function, according to researchers at the University of Michigan. The genes, PTEN and HER2, both are involved in the biochemical pathways that mediate stem cell self-renewal, a defining property of stem cells.

According to the researchers, understanding the pathways that regulate stem cell self-renewal is important in developing therapeutics that target the tumor stem cell pool. These genes might also become targets of interest in the treatment of tumors resistant to the drug Herceptin.

"We now believe that our results show further evidence that breast cancer arises from signaling errors in the biochemical pathways that control mammary stem cell self-renewal" said Hasan Korkaya,

D.V.M., Ph.D., a research fellow at the University of Michigan's Comprehensive Cancer Center. "Since only stem cells have the ability to self-renew, deregulation of either PTEN or HER2 expands the stem cell populations with self-renewing ability."

According to Korkaya, cells with deregulated -- or increased -- self-renewing ability will then initiate and maintain tumors that are resistant to current therapies.

The two genes appear to influence stem cell self-renewal by controlling two different arms of the pathway, says Korkaya. In breast cancer, the loss of PTEN is linked to nearly a quarter of all cases, while the overproduction of HER2 is associated with nearly 40 percent of all cases. Patients with a combined defect of PTEN loss and HER2 amplification represent worse prognosis than either defect alone.

To replicate this clinical phenomenon and study the link between stem cell self-renewal and tumorigenesis, the researchers altered the expression of the two genes in a line of human breast carcinoma cells. In experimental settings, their results confirmed this clinical data that either defect increases stem cell population by three to five times. Furthermore, Korkaya observed an additive effect and an approximate 10-fold increase in stem cell population when they created a cell line with deleted PTEN and HER2 overexpression. Another property of aggressive tumors is metastasis; the team also found that these cells had increased invasive capacity in a matrigel invasion assay.

"In general, tumors are heterogeneous including stem and non-stem cell populations in a given malignancy," Korkaya said. "If the stem cells acquired mutations in their self-renewing

Ads by Google

Brain Training Games — Improve memory and attention with scientific brain games. ... > www.lumosity.com

Masters in Public Health — Earn a Master Degree Online at George Washington Univ. Get Info! ... > publichealthonline.gwu.edu/

GBM? -Brain Tumor Vaccine — Glioblastoma - Immune Therapy Phase III - Clinical Trial ... > www.GBMVaccine.com

Help Center Need Help? — Social Help Delivers Help When & Where Users Need It! Free Trial. ... > MindTouch.com/Help_Center

Related Stories

Stem Cell Finding Could Advance Immunotherapy for Lung Cancer (Nov. 13, 2012) — A lung cancer research team reports that lung cancer stem cells can be isolated -- and then grown -- in a preclinical model, offering a new avenue for investigating immunotherapy treatment options ... > [read more](#)

Cancer Stem Cell Vaccine in Development Shows Antitumor Effect (Apr. 2, 2012) — Stem cells had greater effect than differentiated tumor cells in eliciting antitumor immunity in vivo. Antibodies and T cells targeted cancer stem cells in laboratory models. Data could provide a ... > [read more](#)

Collaborative Research Sheds Light On New Cancer Stem Cell Therapies (Jan. 27, 2012) — New anti-cancer research has led to the development of a novel class of chemical inhibitors that specifically target cancer cells with ... > [read more](#)

Researchers Find Indirect Path to Attack Breast Cancer Stem Cells (Mar. 20, 2011) — Scientists have identified a potential new way of attacking breast cancer stem cells, the small number of cells in a tumor that fuel its growth and ... > [read more](#)

Targeting Cancer Stem Cells in the Lab (Feb. 8, 2010) — Understanding of the particular cancer cells within a tumour that drive its growth could now advance more rapidly, thanks to new research. Scientistist now show how a crucial class of cancer cell, ... > [read more](#)

Cancer Stem Cells Isolated: Could Lead To New Drugs To Stop Cancer From Returning (Sep. 12, 2008) — Cancer prevention researchers have discovered a protein marker that allows them to isolate cancer stem cells from regular cancer cells. By targeting this marker, scientists are developing new drugs ... > [read more](#)

Mapping Of Prostate Cancer Genes Opens The Door To New Treatments (May 20, 2008) — Genetic changes during the initiation and progression of prostate cancer have eluded scientists to date. Now for the first time researchers have identified a specific gene expression profile of ... > [read more](#)

Cancer Stem Cells May Be At The Root Of Brain Tumors (May 19, 2008) — Stem cells -- popularly known as a source of biological rejuvenation -- may play harmful roles in the body, specifically in the growth and spread of cancer. Amongst the wildly dividing cells of a ... > [read more](#)

Ads by Google

Just In:
Vivid Memories of Near Death Experiences

► [more breaking science news](#)

Share This:



See Also:

Health & Medicine

- Stem Cells
- Skin Cancer
- Prostate Cancer
- Leukemia
- Cancer
- Brain Tumor

Reference

- Embryonic stem cell
- Adult stem cell
- Stem cell treatments
- Somatic cell

Social Networks

Recommend ScienceDaily on Facebook, Twitter, and Google +1:



Other bookmarking and sharing tools:



Masters in Public Health

publichealthonline.gwu.edu/
Earn a Master Degree Online at George Washington Univ. Get Info!

Great User Support

MindTouch.Com/User_Support
Deliver Awesome Contextual Product Help, Authoring & Analytics!

Venipuncture Made Easy

www.AccuVein.com
When you can see the vein you can stick the vein. See the video.

Plant DNA Analysis

bdbiosciences.com/go/dna
Personal Flow Cytometry for Nuclear DNA Contents. Get the White Paper.

What Happens When You Die

RobertLanza.com
New scientific theory says death isn't the end

Clever Joint Solution

www.instaflex.com
Find out why this simple joint solution is flying off of shelves

Puritan's Pride Vitamins

www.Puritan.com
Limited Time Sale Buy 2 Get 3 Free Plus Free Shipping!

Always BestCare Franchise

www.FindaFranchise.com
Buy this Franchise! Free info on More than 1,000 top franchises.

Breaking News

... from NewsDaily.com

► UK scientists develop safer foot-and-mouth vaccine



pathways, they will then begin reproducing at an accelerated rate, leading to a particularly aggressive form of cancer."

The researchers believe further studies will identify new biomarkers that will enable physicians to clinically screen patients for mammary stem cells and provide specific treatments designed to target these cells.

Local Radiotherapy Might Contribute to Leukemia Risk in Breast Cancer by Recruitment of Hematopoietic Stem Cells: Abstract 5050

Radiation therapy affects not only the cancer mass, but also the surrounding tissues, including the bone marrow. Signals from the cells in the bone marrow damaged by cancer radiotherapy could be involved in the development of secondary acute myeloma by drawing hematopoietic stem cells, the blood-producing cells of the bone marrow, from distant sites into the irradiated bone marrow, according to researchers from the Ontario Cancer Institute. Their findings suggest that local radiotherapy leads to leukemia, even though radiotherapy directly affects only a small fraction of the bone marrow.

While often effective in treating breast cancer, localized radiation therapy increases the risk of developing secondary cancer, which most frequently manifests in the form of acute myeloid leukemia. In breast cancer, less than 10 percent of bone marrow is exposed to radiation therapy, yet a much higher percentage of hematopoietic stem cells could be affected.

To understand this effect, the researchers labeled and tracked the movement of hematopoietic stem cells in an animal model. Following local radiation therapy, they found that more than four times more hematopoietic stem cells accumulated in the irradiated bone marrow, compared to the non-irradiated bone marrow. Through molecular screening, they found that cells in the area were creating an overabundance of three protein signals known to recruit hematopoietic stem cells: SDF1, MMP2 and MMP9.

"Cells within the bone marrow send out these chemical signals as a sort of call for help, which recruits a large number of hematopoietic stem cells into the affected areas, supposedly to replace damaged cells," said Carlo Bastianutto, Ph.D., a scientific associate at the Ontario Cancer Institute. "In effect, this becomes a trap for this specific population of stem cells, drawing them into the bone marrow present in the radiation field and getting them exposed to the following radiation cycles. This story might repeat at every cycle of radiation therapy, therefore increasing the chance of producing a leukemic stem cell."

According to the OCI researchers, the recruiting signal might be stopped by chemical blockers, which was shown to inhibit the signals experimentally. "Conceivably, it could be possible to inhibit these chemical signals, and this could reduce the risk of secondary acute myeloid leukemia, but much more research needs to be done," Bastianutto said.

The researchers believe this model could help prevent acute myeloid leukemia in patients with malignancies other than breast cancer.

Prospective identification of highly tumorigenic colon adenocarcinoma cells enriched for stem-like properties: Abstract 1288

Colon cancer could join the growing list of stem cell-related cancers with the discovery of a population of highly tumorigenic primary human colon tumor cells, according to researchers from Biogen Idec.

"Such stem cells could be responsible for the perpetuation of colon cancer and its relapse following successful therapy," said Peter Chu, Ph.D., researcher at Biogen Idec. "Our goal is to improve cancer survival rates by identifying these cancer stem cells in order to pave the way for therapeutics to prevent the relapse or metastasis of cancer."

To identify potential cancer stem cells, also known as cancer-initiating cells, the researchers screened a population of human colon cancer cells for molecular markers that differentiated some cells from others. They found a certain subset of cells produced an exceptional amount of CD44 cell surface receptor protein, a well-studied protein involved in many forms of cancer.

According to Chu, to be identified as cancer stem cells, they had to be highly tumorigenic, creating new tumors quickly and from very few starting cells; had to be self-renewing, possessing a capacity to regenerate; and they had to produce tumors similar to the tumor of origin. "These CD44-producing cells fit the bill, although there is evidence to believe that CD44 overexpression is not the sole marker for colon cancer stem cells," said Chu.

Chu and his colleagues discovered that as few as 10 cells producing high amounts of CD44 were capable of creating tumors in an animal model. In contrast, other tumor cells were 10 to 50 times less tumorigenic. The fact that they were tumorigenic at all, the researchers say, indicates that CD44 alone is unlikely to be the sole indicator of stem cell-ness

Clinical trials — Find clinical trials now or be notified of new trials near you!
... > www.ClinicalConnection.com

Patient Recruitment — RESolutions, LLC implements results driven patient recruitment programs ... > www.resolutions-llc.com

What Happens When You Die — New scientific theory says death isn't the end
... > RobertLanza.com

Clinical Research Classes — Clinical Research Training CRA Education & Training Program
... > www.CRA-Training.com

- ▶ [SpaceX Dragon capsule returns from International Space Station](#)
- ▶ [NASA's Mars rover resumes work after computer glitch](#)
- ▶ [Meteor lights up night sky over eastern United States](#)
- ▶ [Universe is older than previously thought, new study shows](#)
- ▶ [Bezos expedition retrieves Apollo rocket engines from ocean floor](#)
- ▶ [NASA steps up security after arrest of former contractor](#)
- ▶ [Voyager 1 space probe reaches outer fringe of solar system](#)
- ▶ [more science news](#)

In Other News ...

- ▶ [Despite threats, N.Korea keeps border factories open](#)
- ▶ [Cyprus reopens banks, under strict restrictions](#)
- ▶ [Britain opens inquest into Berezovsky's unexplained death](#)
- ▶ [American Airlines-US Airways merger gets court approval](#)
- ▶ [Supreme Court indicates it may strike down marriage law](#)
- ▶ [Syrian opposition opens first embassy, says world lets it down](#)
- ▶ [Senators say they expect to deliver immigration bill](#)
- ▶ [U.S. law to restrict government purchases of Chinese IT equipment](#)
- ▶ [more top news](#)

Copyright Reuters 2008. See [Restrictions](#).

Free Subscriptions ... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader.

- ▶ [Email Newsletters](#)
- ▶ [RSS Newsfeeds](#)

Feedback ... we want to hear from you!

Tell us what you think of ScienceDaily – we welcome both positive and negative comments. Have any problems using the site? Questions?

Your Name:

Your Email:

Comments:

Click button to submit feedback:

 Save  Email  Print  Share

among the tumor cell population. However, according to Chu, the discovery that high CD44 producing cells have cancer stem cell properties provides an entry point into further research into cancer-causing stem cells.

BRCA1 regulates human mammary stem cell self-renewal and differentiation: Abstract 5700

Mutations in the well-known breast cancer susceptibility gene BRCA1 have a role in the propagation of aggressive stem cell-driven cancer. The findings, according to researchers at the University of Michigan, offer further evidence that breast cancer treatment strategies require a stronger focus on the stem cells that drive the disease.

"Our lab previously identified the presence of mammary stem cells and, since BRCA1 is such a strong predictor of breast cancer, we were interested in the involvement of the gene in stem cells," said Suling Liu, Ph.D., a researcher at the University of Michigan's Comprehensive Cancer Center. "If mammary stem cells are, indeed, the driving force of breast cancer, then we need to know more about their function if we hope to create more effective therapies."

To investigate the role of the gene in stem cells, the team engineered a lentivirus to carry small interfering RNA segments that, in effect, silence the BRCA1 gene. They then observed how a population of mammary stem cells functioned without the ability to produce BRCA1. When BRCA1 was inhibited, the number of stem cells was increased by 75 percent. These new cells, in turn, produced three times the normal amount of a stem cell marker protein ALDH1.

In an animal model of the disease, the knockdown of the BRCA1 gene increased the number of stem cells, which then propagated in the fatty tissues of the breast.

These studies suggest that loss of BRCA1 function leads to a block in cell differentiation, expanding the stem cell pool. Since BRCA1 also regulates DNA repair, this may then produce genetically unstable stem cells which in turn generate tumors in these women.

According to Liu, the loss of a single BRCA1 gene can lead to stem cell propagation. The researchers believe their findings might lead to better BRCA1 screening in women with a family history of breast cancer.

Share this story on **Facebook**, **Twitter**, and **Google**:



Other social bookmarking and sharing tools:



Story Source:

The above story is reprinted from materials provided by [American Association for Cancer Research](#), via EurekAlert!, a service of AAAS.

Note: Materials may be edited for content and length. For further information, please contact the source cited above.


Need to cite this story in your essay, paper, or report? Use one of the following formats:

- APA American Association for Cancer Research (2007, April 19). Discoveries Thrust Cancer-initiating Stem Cells Into A Larger Role In Cancer Biology And Treatment. *ScienceDaily*. Retrieved March 27, 2013, from <http://www.sciencedaily.com/releases/2007/04/070418135557.htm>
- MLA


Note: If no author is given, the source is cited instead.

Disclaimer: This article is not intended to provide medical advice, diagnosis or treatment. Views expressed here do not necessarily reflect those of ScienceDaily or its staff.


YOU MIGHT ALSO LIKE



Newly Observed Properties of Vacuums: Light Particles Illuminate the Vacuum



'Hobbit' Skull Study Finds Hobbit Is Not Human



Ancient Egypt's Pyramids: Norwegian Researcher Unlocks Construction

Find with keyword(s):

Search

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

*About ScienceDaily® | Editorial Staff | Awards & Reviews | Contribute News | Advertise With Us | Privacy Policy | Terms of Use
Copyright © 1995-2012 ScienceDaily LLC — All rights reserved — Contact: editor@sciencedaily.com
Note: This web site is not intended to provide medical advice, diagnosis or treatment.*